

# ELECTRIC VEHICLES



0 0 2 2 5

**225+ Locations Across North America**  
To find the location closest to you, please visit  
[www.continentalbattery.com](http://www.continentalbattery.com)

**Continental**  
BATTERIES

# THE SINGLE SOURCE SOLUTION



## Maximum Performance in a Wide Variety of Applications:

Continental Battery's specialized Carbon Paste formula provides increased power in low voltage environments. In addition, our Carbon Paste allows the user longer runtime, less sulfation, faster charging, longer life, and even better outdoor performance.

## Ideal Charging Parameters:

Our batteries are compatible with most current chargers in the market, unlike our competitors' high-cycling AGM batteries. The low-density specific gravity of our batteries allows users to bring them safely and properly to a 100% state of charge each time.

## Longevity/Cycle-Life:

Continental Battery's CBEV line sets the bar as the highest tier Thick Plate Carbon-AGM OEM Replacement battery manufactured anywhere today.

## Applications:

- On/Off-Grid Energy Storage
- Fleet and performance golf carts
- Commercial Equipment
- Electric Side-by-Sides
- Janitorial and Scrubber equipment
- RV/Marine Deep-Cycle
- Rail Signals
- Pallet Jacks
- Mobility Equipment
- Hospitals, Airports, and Schools
- Open environment and wide temperature applications



Continental Battery supplies you with the most types of electric vehicle batteries to meet every need.


Visit [www.continentalbattery.com](http://www.continentalbattery.com) to see our entire line.




# SPECIFICATIONS

PART NUMBER	VOLTAGE	AH	LENGTH (IN)	WIDTH (IN)	HEIGHT	WEIGHT (LBS)	TERMINAL
CBEV-GC2-DT-210	6	210	10.2	7.1	9.92	60	DT
CBEV-GC2-DT	6	220	10.2	7.1	9.92	67	DT
CBEV-305-902-DT	6	340	11.6	7.1	13.62	106	DT
CBEV-L16-903-DT	6	390	11.6	7.1	15.99	119	DT
CBEV-GC8-DT	8	170	10.2	7.1	9.92	64	DT
CBEV-24-DT	12	85	10.2	6.6	8.18	52	DT
CBEV-24-M8	12	85	10.2	6.6	8.18	52	M8
CBEV-27-DT	12	105	12.0	6.6	8.18	61	DT
CBEV-27-M8	12	105	12.0	6.6	8.18	61	M8
CBEV-31-DT	12	140	13.0	6.8	8.35	69	DT
CBEV-31-M8	12	140	13.0	6.8	8.35	69	M8
CBEV-185-921-DT	12	234	15.2	7.1	13.62	141	DT


## CHARGING CHARACTERISTICS




## OCV & STATE OF CHARGE (25°C, 77°F)



## DISCHARGE CHARACTERISTICS



## CYCLE LIFE



# LEADING THE CHARGE

**Continental**  
BATTERY SYSTEMS

**[www.gocbs.com](http://www.gocbs.com)**

The Continental Battery Systems warranty policy requires a receipt from the original purchaser. The date of this receipt establishes the beginning date of service used for the Continental Battery Systems warranty, which offers a one-year (12 months) free replacement and 30-day undamaged return policy for all ELECTRIC VEHICLE (EV)–Continental branded batteries. We do not offer a lifetime warranty. If the Continental battery is replaced under the warranty policy, your replacement battery carries a warranty period from the original Continental battery purchase date. For technical or warranty support, please call Continental Battery Systems customer service at 1-844-935-1186 or visit [www.gocbs.com](http://www.gocbs.com) to find our closest location.